

Example 57. New mPDF v5-3 active forms b

```
<?php

include("../mpdf.php");

$mpdf=new mPDF('');

//=====================================================

$html = '
<style>
textarea {
}
input {
}
select {
    font-family: arialunicodems
}
</style>
<body>
<h2>Active Forms</h2>

<form action="http://127.0.0.1/MPDF1.com/common/mpdf/examples/formsubmit.php" method="post">
<b>Input Text</b>
<input type="text" size="90" name="inputfield" value="" title="The title attribute works like a tool-
tip" />
<br /><br />

<b>Readonly</b>
<input type="text" size="90" name="readonlyfield" value="Read-only field. The value will be exported
on submit" title="The title does not do anything if the field is read-only" readonly="readonly" />
<br /><br />

<b>Disabled</b>
<input type="text" size="90" name="disabledfield" value="Disabled field. The value will not be
exported on submit" title="The title does not do anything if the field is disabled."
disabled="disabled" />
<br /><br />

<b>Required</b>
<input type="text" size="90" name="requiredfield" value="" title="This field must be entered before
you can submit." required="required" />
<br /><br />

<b>Hidden</b>
<input type="hidden" name="hiddenfield" value="value_of_hidden_field">
<br /><br />

<b>Input Password</b>
<input type="password" size="40" name="password" value="mysecretpassword" title="This field is set to
act as a password field." >
<br /><br />

<b>Calculations</b>
<input type="text" size="20" name="maths1" value="0" onChange="var a =
this.getField('\''maths1\'').value;
var b = this.getField('\''maths2\'').value;
this.getField('\''maths3\'').value = a + b;
" /> +
<input type="text" size="20" name="maths2" value="0" onChange="var a =
this.getField('\''maths1\'').value;
```



```

    header("Content-Type: text/plain");
    header("Content-Length: ". filesize($file));
    header("Content-Disposition: attachment; filename='".$file."'");
    readfile($file);
    exit;
}

//=====
$mpdf->useActiveForms = true;
$mpdf->formUseZapD = false;

/*
// Try playing around with these (these are also in config.php)
$mpdf->formUseZapD = false;
$mpdf->formSubmitNoValueFields = true;

$mpdf->formExportType = 'xpdf'; // 'html' or 'xpdf'
$mpdf->formSelectDefaultOption = true; // for Select drop down box; if no option is explicitly made
as selected,
// this determines whether to select 1st option (as per
browser)
// - affects whether "required" attribute is relevant
$mpdf->form_border_color = '0.0 0.820 0.0';
$mpdf->form_background_color = '0.941 0.941 0.941';
$mpdf->form_border_width = '1';
$mpdf->form_border_style = 'S';

$mpdf->form_radio_color = '0.0 0.820 0.0';
$mpdf->form_radio_background_color = '0.941 0.5 0.5';

$mpdf->form_button_border_color = '0.0 0.820 0.0';
$mpdf->form_button_background_color = '0.941 0.941 0.941';
$mpdf->form_button_border_width = '1';
$mpdf->form_button_border_style = 'S';
*/

$mpdf->WriteHTML($html);

//=====
// JAVASCRIPT FOR WHOLE DOCUMENT
$mpdf->SetJS('
var dialogTitle = "Enter details";
var defaultAnswer = "";
var reply = app.response("This is javascript set to run when the document opens. Enter value for first
field", dialogTitle, defaultAnswer);
if (reply != null) {
this.getField("inputfield").value = reply;
}
');
//=====
// OUTPUT
$mpdf->Output(); exit;

//=====
//=====
//=====
//=====

?>

```